


SAFETY DATA SHEET

Acrylic Paint(Gouache)



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name: Acrylic Paint(Gouache)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: No information available.

1.3 Details of the supplier of the safety data sheet

Company name: NINGBO AIRGOO IMPORT&EXPORT CO.,LTD

Contact person: Mr Zhang

Address: 25 NANDU RD, FENGHUA ECONOMIC DEVELOPMENT ZONE, FENGHUA DISTRICT, ZHEJIANG, CHINA 315504

Telephone number:+86-574-88566098

E-mail address: zmg@cnbida.com

1.4 Emergency telephone number:

+86-574-88566098

Other information: /

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance/mixture according to Regulation (EC) No 1272/2008(CLP)

Physical hazards

No information available.

Health hazards

No information available.

Environmental hazards

No information available.

2.2 Label Elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

The product is classified and labelled according to the CLP regulation.

Hazard pictogram(s): None.

Signal Word: None.

Hazard Statements

No information available.

SAFETY DATA SHEET

Page 2 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



Precautionary statements

No information available.

2.3 Other hazards

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

1)Ultramarin blue

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Kaolin	26.0	1332-58-7	310-194-1	N/A	No data available.
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	5.0	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Blue 15	1.5	147-14-8	205-685-1	N/A	No data available.

2)Lemon

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Kaolin	24.5	1332-58-7	310-194-1	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
CI Pigment Yellow 13	5.0	5102-83-0	225-822-9	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
Titanium dioxide	3.0	13463-67-7	236-675-5	N/A	No data available.

SAFETY DATA SHEET

Acrylic Paint(Gouache)

Page 3 of 16

Revision:7

Jan.31, 2019

TS2019012331



3)Scarlet red

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Kaolin	25.0	1332-58-7	310-194-1	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	5.0	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Red 2	2.5	6041-94-7	227-930-1	N/A	No data available.

4)Mars black

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Gum arabic	27.0	9000-01-5	232-519-5	N/A	No data available.
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Kaolin	22.0	1332-58-7	310-194-1	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
CI Pigment Black 7	5.5	1333-86-4	215-609-9	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
Titanium dioxide	1.0	13463-67-7	236-675-5	N/A	No data available.

5)Purple

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Gum arabic	25.0	9000-01-5	232-519-5	N/A	No data available.
Kaolin	22.0	1332-58-7	310-194-1	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	5.0	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.

SAFETY DATA SHEET

Page 4 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



CI Pigment Red 2	2.0	6041-94-7	227-930-1	N/A	No data available.
CI Pigment Blue 15	1.5	147-14-8	205-685-1	N/A	No data available.

6)Orange

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Kaolin	24.5	1332-58-7	310-194-1	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	4.0	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Red 2	2.0	6041-94-7	227-930-1	N/A	No data available.
CI Pigment Yellow 13	2.0	5102-83-0	225-822-9	N/A	No data available.

7)Middle green

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Kaolin	19.0	1332-58-7	310-194-1	N/A	No data available.
Calcium carbonate	17.5	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	5.0	13463-67-7	236-675-5	N/A	No data available.
CI Pigment Yellow 13	4.5	5102-83-0	225-822-9	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Blue 15	2.5	147-14-8	205-685-1	N/A	No data available.

SAFETY DATA SHEET

Page 5 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



8)Neutral Grey

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Kaolin	21.5	1332-58-7	310-194-1	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	8.5	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Black 7	2.5	1333-86-4	215-609-9	N/A	No data available.

9)Lime

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Calcium carbonate	20.5	471-34-1	207-439-9	N/A	No data available.
Kaolin	19.0	1332-58-7	310-194-1	N/A	No data available.
Titanium dioxide	5.0	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Yellow 13	2.5	5102-83-0	225-822-9	N/A	No data available.
CI Pigment Blue 15	1.5	147-14-8	205-685-1	N/A	No data available.

10)Khaki

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Kaolin	24.5	1332-58-7	310-194-1	N/A	No data available.
Gum arabic	23.0	9000-01-5	232-519-5	N/A	No data available.
Calcium carbonate	16.0	471-34-1	207-439-9	N/A	No data available.

SAFETY DATA SHEET

Page 6 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
Titanium dioxide	2.5	13463-67-7	236-675-5	N/A	No data available.
CI Pigment Red 2	2.0	6041-94-7	227-930-1	N/A	No data available.
CI Pigment Yellow 13	2.0	5102-83-0	225-822-9	N/A	No data available.
CI Pigment Black 7	1.5	1333-86-4	215-609-9	N/A	No data available.

11)Burnt Umber

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Gum arabic	25.0	9000-01-5	232-519-5	N/A	No data available.
Kaolin	22.0	1332-58-7	310-194-1	N/A	No data available.
Calcium carbonate	17.5	471-34-1	207-439-9	N/A	No data available.
Titanium dioxide	5.0	13463-67-7	236-675-5	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
CI Pigment Blue 15	1.5	147-14-8	205-685-1	N/A	No data available.
CI Pigment Red 2	0.5	6041-94-7	227-930-1	N/A	No data available.

12)Titanium White

Component	Weight (%)	CAS No.	EC No.	Index No.	CLP Classification - Regulation (EC) No 1272/2008
Gum arabic	27.0	9000-01-5	232-519-5	N/A	No data available.
Water	25.0	7732-18-5	231-791-2	N/A	No data available.
Kaolin	23.0	1332-58-7	310-194-1	N/A	No data available.
Calcium carbonate	18.5	471-34-1	207-439-9	N/A	No data available.
Polyvinyl alcohol	3.5	9002-89-5	618-340-9	N/A	No data available.
Titanium dioxide	3.0	13463-67-7	236-675-5	N/A	No data available.

SAFETY DATA SHEET	Page 7 of 16
	Revision:7 Jan.31, 2019
Acrylic Paint(Gouache)	TS2019012331



4. FIRST AID MEASURES

4.1 Description of first aid measures

- Eye Contact** Immediately rinse open eyes with running water for at least 15 minutes. seek medical advice if irritation develops or persists.
- Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.
- Ingestion** Do not induce vomiting without medical advice. Clean mouth with water. Never administer anything by mouth to an unconscious person. Obtain medical aid immediately.
- Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical aid immediately if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media:

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Unsuitable extinguishing media:

No information available.

5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

SAFETY DATA SHEET	Page 8 of 16
	Revision:7
	Jan.31, 2019
Acrylic Paint(Gouache)	TS2019012331



Ensure adequate ventilation, Avoid dust formation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid breathing vapors, mist, gas or dust.

6.1.2 For emergency responders

Use suitable protective equipment for personal protection.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Sweep up, vacuum and collect in suitable, closed containers for recovery or disposal.

6.4 Reference to other sections

If appropriate Sections 8 and 13 shall be referred to.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment. Avoid direct physical contact. Do not breathe dust. Do not breathe vapors or spray mist. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke while handling. Keep far away from flammable materials and heat source. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well-ventilated location in a tightly sealed container or cylinder. To maintain product quality, do not store in heat or direct sunlight. Keep away from incompatible materials, heat and sources of ignition. Secure and label area. Protect containers/cylinders from physical damage. The storage area should be equipped with a leak emergency treatment equipment and suitable shelter materials.

7.3 Specific end use(s)

No information available.

SAFETY DATA SHEET

Page 9 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure limit values

Component	Ireland	France	Poland
Calcium carbonate (471-34-1)	TWA: 10 mg/m ³ (8 hours) (Inhalable aerosol) 4 mg/m ³ (8 hours) (Respirable fraction)	TWA: 10 mg/m ³ (8 hours) (Inhalable aerosol)	TWA: 10 mg/m ³ (8 hours)
Component	Ireland	France	Poland
Titanium Dioxide (13463-67-7)	TWA:10mg/m ³ (8 hours) (Inhalable fraction) 4mg/m ³ (8 hours) (Respirable fraction)	TWA:11mg/m ³ (8 hours) (Inhalable fraction)	TWA:10mg/m ³ (8 hours) STEL: 30mg/m ³
Component	Russia	Germany	Switzerland
Polyvinyl alcohol (9002-89-5)	MAC: 10 mg/m ³	No data available.	No data available.
Component	Ireland	France	Denmark
Kaolin(1332-58-7)	TWA:2 mg/m ³ (8 hours)	TWA:10 mg/m ³ (8 hours) (respirable aerosol)	TWA:2 mg/m ³ (8 hours) (respirable aerosol)
Component	Latvia	France	Poland
CI pigment blue 15 (147-14-8)	TWA: 5mg/m ³ (8 hours)	No data available	No data available
Component	Ireland	France	Finland
CI Pigment Black 7 (1333-86-4)	TWA: 3.5 mg/m ³ (8 hours) STEL: 7 mg/m ³ (15 minutes)	TWA: 3.5 mg/m ³ (8 hours)	TWA: 3.5 mg/m ³ (8 hours) STEL: 7 mg/m ³ (15 minutes)

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring procedure

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

SAFETY DATA SHEET

Page 10 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



Derived No Effect Level (DNEL)

No information available.

Predicted No Effect Concentration (PNEC)

No information available.

8.2 Exposure controls

8.2.1 Appropriate engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

8.2.2 Individual protection measures

Eye and face protection Safety glasses with side-shields

Skin protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory protection Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Thermal hazards Thermal decomposition can lead to release of irritating gases and vapors.

8.2.3 Environmental exposure controls

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	:	Ultramarine blue/Lemon/Scarlet red/Mars black/Purple/Orange/ Middle green/Neutral Grey/Lime/Khaki/Burnt Umber/Titanium White
Odour	:	No data available.
Odour Threshold	:	No data available.
pH	:	No data available.
Melting point/freezing point	:	No data available.
Initial boiling point and boiling range	:	No data available.
Flash point	:	No data available.
Evaporation rate	:	No data available.
Upper/lower flammability/explosive limits	:	No data available.
Vapour pressure/ density	:	No data available.
Relative density	:	No data available.
Solubility(ies)	:	No data available.
Partition coefficient: n-octanol / water	:	No data available.
Auto-ignition temperature	:	No data available.

SAFETY DATA SHEET

Page 11 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



Decomposition temperature : No data available.
Viscosity : No data available.
Explosive properties : No information available.
Oxidising properties : No information available.

9.2 Other information

No data available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

Hazardous polymerization does not occur.

10.2 Chemical stability

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Incompatible products, Excess heat. Avoid dust formation.

10.5 Incompatible materials

Strong oxidizing agents.Acids. Sodium hypochlorite. Chlorates. Nitrates.

10.6 Hazardous decomposition products

Carbon monoxide (CO).Carbon dioxide (CO₂).Nitrogen oxides (NO_x).

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

(a) acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium carbonate(471-34-1)	6450 mg/kg(Rat)	No data available.	No data available.
Gum arabic(9000-01-5)	16 g/kg(Rat)	No data available.	No data available.
Titanium dioxide(13463-67-7)	>10000 mg/kg(Rat)	>10000 mg/kg(Rabbit)	>5.09 mg/L/4h(Rat)
Polyvinyl alcohol(9002-89-5)	> 5000 mg/kg (Rat)	>7490 mg/kg (Rabbit)	>20 mg/m ³ /h (Rat)
CI Pigment Blue 15(147-14-8)	>15 g/kg(Rat)	No data available.	No data available.
CI Pigment Black 7(1333-86-4)	> 15,400 mg/kg(Rat) > 3000 mg/kg(Rabbit)	No data available	No data available

SAFETY DATA SHEET

Page 12 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



(b) skin corrosion/irritation No information available.

(c) serious eye damage/irritation No information available.

(d) respiratory or skin sensitisation

Respiratory No information available.

Skin No information available.

(e) germ cell mutagenicity No information available.

(f) carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	IARC	EU
Titanium dioxide(13463-67-7)	Group 2B	Not classified

Note:Group 2B - Possibly carcinogenic to humans.

(g) reproductive toxicity No information available.

(h) STOT-single exposure No information available.

(i) STOT-repeated exposure No information available.

Target Organs No information available.

(j) aspiration hazard No information available.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disruptor Information None known.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ecotoxicity effects Do not empty into drains.The product contains following substance(s) which are hazardous for the environment.

SAFETY DATA SHEET

Page 13 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Calcium carbonate (471-34-1)	No data available.	LC50: >56 g/L, 96h	No data available.	No data available.
Titanium dioxide (13463-67-7)	No data available.	LC50: >1,000mg/L, 96 h	No data available.	EC50: >1,000 mg/L, 48 h (Daphnia magna)
Polyvinyl alcohol (9002-89-5)	No data available.	LC50: 10mg/L, 96h (Lepomis macrochirus)	No data available.	EC50: 8.3 mg/L, 48h
CI Pigment Blue 15 (147-14-8)	No data available.	LC50:100 mg/L, 48 h	No data available.	No data available.
CI Pigment Black 7 (1333-86-4)	EC50: > 10,000 mg/L, 72 h (Desmodesmus subspicatus)	LC50: > 1,000 mg/L, 96 h Danio rerio (zebra fish)	No data available.	EC50: > 5,600 mg/L, 24 h Daphnia magna

12.2 Persistence and degradability No information available.

12.3 Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Polyvinyl alcohol(9002-89-5)	No data available	< 10
CI Pigment Blue 15(147-14-8)	6.6	0.3 - 11 OECD 305C

12.4 Mobility in soil No information available.

12.5 Results of PBT and vPvB assessment No data available for assessment.

12.6 Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from Residues / Unused Products Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations. Do not dispose of waste into sewer.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

SAFETY DATA SHEET	Page 14 of 16
	Revision:7 Jan.31, 2019
Acrylic Paint(Gouache)	TS2019012331



14. TRANSPORT INFORMATION

IMDG/IMO Not regulated.

14.1 UN number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

ADR/RID Not regulated.

14.1 UN number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

ICAO/IATA Not regulated.

14.1 UN number

14.2 UN proper shipping name

14.3 Transport hazard class(es)

14.4 Packing group

14.5 Environmental hazards No hazards identified.

14.6 Special precautions for user No special precautions required.

14.7 Transport in bulk according to Annex II of Marpol73/78 and the IBC Code Not applicable, packaged goods.

SAFETY DATA SHEET

Page 15 of 16

Revision:7

Jan.31, 2019

Acrylic Paint(Gouache)

TS2019012331



15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

X = listed

Component	EINECS	NZIoC	TSCA	DSL	NDSL	PICCS	IECSC	AICS	KECI
Water	231-791-2	X	X	X	-	X	X	X	X
Calcium carbonate	207-439-9	X	X	X	-	X	X	X	X
Gum arabic	232-519-5	X	X	X	-	X	X	X	X
Titanium dioxide	236-675-5	X	X	X	-	X	X	X	X
Polyvinyl alcohol	618-340-9	X	X	X	-	X	X	X	X
Kaolin	310-194-1	X	X	X	-	X	X	X	X
CI Pigment Blue 15	205-685-1	X	X	X	-	X	X	X	X
CI Pigment Yellow 13	225-822-9	X	X	X	-	X	X	X	X
CI Pigment Red 2	227-930-1	X	X	X	-	X	X	X	X
CI Pigment Black 7	215-609-9	X	X	X	-	X	X	X	X

National Regulation

German Water Hazard Class (WGK) (Self-assessment) =1: low hazard to waters.

Component	Germany - Water Classification (VwVwS)	Germany - TA-Luft Class	France - INRS (Tables of occupational diseases)
Polyvinyl alcohol(9002-89-5)	WGK 1	-	-

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS - European Inventory of Existing Commercial Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECI - Korea Existing Chemicals Inventory

15.2. Chemical safety assessment

No information available.

SAFETY DATA SHEET	Page 16 of 16
	Revision:7
	Jan.31, 2019
Acrylic Paint(Gouache)	TS2019012331



16. OTHER INFORMATION

This SDS complies with the requirements of Regulation (EC) No. 1907/2006 (REACH) Annex II, Regulation (EC) No. 1272/2008 and Regulation (EU) No. 2015/830.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability or loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of document